

Original Research Article

Assessment of Factors Affecting Net Returns from Garden Egg (*solanum melongena*) Production in Abia State, South East Nigeria

*D. O. Onu, K. C. Obike and F. E. Ebe

Abstract

Department of Agricultural Economics,
Michael Okpara University of
Agriculture Umudike, P. M. B 7267
Umuahia, Abia State

*Corresponding Author's E-mail:
dononu@yahoo.com

This study assessed the factors that affect net returns from garden egg production in Abia State, Southeast Nigeria. Data were collected with structured questionnaire from 200 smallholder garden egg farmers. Data were analysed using descriptive statistics (mean, frequency distribution and percentages) and multiple regression techniques. Results showed that the mean age, level of education, household size, and farm size were 45 years, 12 years, 8 persons, and 0.5 hectares respectively. The results also showed that labour cost took the highest proportion with 57.6% of the total expenses incurred in garden egg production, while marketing charges took the lowest proportion with 1.1%. The mean net return per hectare from garden egg production was N113,658. The results also showed that cost of agro-chemicals and size of farm land were the major determinants of net returns from garden egg production by showing a statistically significant effect at 5% level. Provision of these inputs in adequate quantities and at affordable prices will ensure enhanced net returns from garden egg

Key words: Garden egg, Hectares, Net returns, Regression, Smallholder farmers

INTRODUCTION

Vegetables (leafy and fruits) are widely grown in most parts of Sub-Saharan Africa, especially in the Urban areas, and they constitute the most affordable and sustainable source of micronutrients in diets.

The name — Garden egg plant was derived from the shape of the fruits of some varieties which are white and shaped like chicken eggs, (Chen et al., 2001)

The plant, (*Solanum* spp) is a vegetable with increasing popularity in the world (Pessaraki and Dris, 2003), and it originated from Tropical Africa (Norman, 1992). It is an economic flowering plant belonging to the family Solanaceae, of which members, about 1,400 species found throughout the Temperate and Tropical regions of the world are mostly herbaceous plants. The fruit of the plant comes in a wide array of shapes and colours, some are yellow and small with green stripes, there are the big yellow ones with

white colour, flat ribbed green types among others, (Chen et al., 2001)

Garden egg (*Solanum melongena*) originated in tropical Africa (Norman, 1992; Grubben and Denton, 2004). Garden egg is scientifically known as *Solanum melongena* and belongs to the subgenus *leptostemonum melongena* (Obeng-Ofori et al., 2007). The fruits may be pear shaped, round, long or cylindrical depending on the variety. The genus *solanum* comprises over 1000 species and almost cosmopolitan, with at least 100 indigenous African species (PROTA, 2004). Four cultivar groups are recognized within *solanum* species, three of which are important for Africa (PROTA, 2004; Horna and Gruere, 2006). They are the Gilo, Kumba, Shum and *Aculeatum*. The first three are the most important in Africa, Gilo and Kumba groups are produced for their

fruits especially in the humid zone of west Africa while Shum is cultivated for its leaves in the savannah area. (Horna and Gruere, 2006). The crop is widely cultivated across most of the African continent, and more intensively in west and East Africa. Garden egg is also produced in Brazil (Known as "Jilo") and occasionally in southern Italy and France (Grubben and Denton, 2004).

The eggplant is a warm season crop which prefers relatively high temperatures for optimum growth and development. It requires optimum day temperature of 25-35°C and optimum night temperature of 20-27°C (Norman, 1992; Obeng-Ofori et al., 2007). Diurnal variation in temperature is not essential and the most satisfactory environmental conditions are normally found in low land coastal areas with stable high temperature varying from 25-35°C. High soil temperatures are injurious to the root system and can be reduced by mulching. The garden egg requires well-drained soil with good moisture retaining properties. The root system is sensitive to excess water, and deep cultivation prior to planting is required. Soil rich in organic matter and pH ranging from 5.5- 6.5 is suitable for its production (Rice et al., 1993). The early cultivars do well in sandy loam soils (Obeng-Ofori et al., 2007). Norman (1992) reported that the crop should be grown on soils that have high organic matter content and soils deficient in organic matter should have compost or green manure incorporated in it at two weeks before planting. Water logging is likely to cause leaf drop in garden eggs.

Manual preparation of the soil is sufficient, but large scale production necessitates mechanized soil preparation. According to Akambi et al. (2001) in their work "Response of *Solanum melongena* to NPK fertilizer and age of transplant" the field used were cleared, ploughed and harrowed once each to obtain good seed bed. PROTA, (2004) prescribed 15-15-15 or 10-10-20 NPK fertilizer to be applied at 150kg per hectare days after transplanting and at 50kg per hectare at first flowering and then at monthly intervals. Soluble fertilizer may be fed by drip irrigation. Farm yard or poultry manure can be applied at the rate of 10-20t/ha. The productivity of garden egg is highly responsive to NPK fertilizers. Pal et al. (2002) reported that garden egg plant fruit yield increases with increase in N up to 187.7/kg N/ ha.

According to PROTA, (2004), yield of Garden eggs varies depending on the climate, the variety and the growing techniques. Obeng-Ofori et al. (2007) reported of yield of up to 15-20t per hectare in Cape Verde and Mauritania. According to Norman (1992), the local egg plant can give an average yield of about 35-40 fruits per plant weighing between 0.9-1kg per plant. Also according to PROTA (2004), one plant may produce from 500g to about 8kg of fruits, depending on the cultivar and growing conditions. Improved cultivars

grown under favourable conditions may yield 50-80 tonnes per hectare.

Garden egg is not planted insitu, rather on a nursery after which it is transplanted into a field. It is a labour intensive crop, and labour costs are more than 60% of the total cost of production (Grubben and Denton, 2004). Labour is especially needed during the harvesting period. On the average, both family labour and hired labour are used in similar proportions. Ploughing is the main service provided to garden egg farmers who cultivate larger areas of land and are able to afford it. Together, equipment and service cost represents 9% of the total production costs incurred by garden egg producers (Grubben and Denton, 2004). Garden egg production can be a profitable activity but it also involves risks. On the average, according to Horna and Gruere, (2006), in their work "marketing underutilized crops" the farmers they interviewed faced 30% chances of having negative returns. Producer activities with a positive return have a large net income to cover all cash costs plus an opportunity charge for unpaid producer labour and management. A production glut occurs in the rainy season when market prices are lowest during the year. Farmers with access to irrigation facilities can produce during the dry season and obtain higher total returns. However, it is also an income generating activity for small holder farmers.

According to Horna and Gruere, (2006), a number of pests and diseases attack this vegetable crop in the field. Mites, stem borers, fruit borers and flower borers are the main pests that attack garden egg. The damage caused can reduce yields and affects the quality and quantity of the produce and also affect the price significantly. Some medicinal properties are attributed to the roots and fruits. They are described as carminative and sedative, and are used to treat colic and blood pressure. The fresh garden egg is mostly eaten raw as it enriches the body with minerals and vitamins. Its leaves also play major role in the diet and are of medicinal use, (Grubben and Denton, 2004).

Garden egg's perceivable quality attributes such as colour, shape, size and taste vary widely. Preferred product characteristics for the export market are taste and aesthetic value. The aesthetic value is measured by the damage free condition, uniformity in size, daily defined shapes, glossy appearance, white colour and good preservation qualities. However, local consumers adjust to what the market offers during the different seasons. Based solely on taste, consumers prefer the non-round type, but freshness, colour and size are also taken into account by consumers. In general, the consumer looks for a larger, fresher and whiter garden egg, but there is also a market for garden egg that have aged, changed colour and lost water. There are about four grades of garden egg to be found in the market: unripe (white), ripe (yellow/orange), aged (dehydrated) and small sizes. There is

no evidence of price differentials. Normally ripe garden eggs are sold at half the price of the unripe (white/eggs). The aged and small –sized garden eggs could also be sold at half the price of the ripened one's. A few traders sell both the ripe and the unripe at the same price, arguing that a difference in price could create a perception of inferiority (Horna and Gruere, 2006). Garden egg prices fluctuates significantly during the year (GIDA et al., 2004), increasing from November and reaching a peak during April –May. This is the harvesting period for farmers who were able to produce during the dry season (at least in the southern parts of the country).

Farmers who have irrigation facilities and produce during the dry season obtain higher market prices. Often, however, they prefer to use irrigated lands for other cash crops, such as tomato in the north or other exotic vegetables in the rest of the country that might represent a higher income. (Danquah-Jones, 2000). At this recent age, the demand for garden egg is on the increase. Garden egg is going beyond being a staple fruit to a more commercial commodity that is now a major source of income for producing households and marketers in the forest zone, (Danquah-Jones, 2000).

According to F.A.O (1970), one major problem of garden egg production could be related to inadequate marketing arrangement and facilities. Marketing has been seen as an incentive to promote further production and consumption of agricultural products (Njoku, 1986). Horna and Gruere, (2006) indicated that the average shelf life of garden egg is three to seven days depending on the harvesting frequency and conditions. They postulated that the limited shelf life affects the internal price of the product and results to losses due to spoilage. Nigerian vegetables are made up of diverse plant species with considerable genetic variability for agronomic, economic and morphological characters (Denton and Olufolaji, 2000). Prior to 1975, improvement of vegetable crops was not accorded sufficient priority in the national agricultural research system as well as in the national development plan. However the establishment of National Horticultural Research Institute (NIHORT) marked a major change in government policy and the beginning of a systematic improvement and detailed study of the vast vegetable resources in the country (Denton and Olufolaji, 2000). In this study, the researcher seeks to evaluate the determinants and hence profitability of garden egg production amidst the production and marketing challenges highlighted above

MATERIALS AND METHOD

The study was carried out in Abia state. The state was carved out of the former Imo State on 27th August, 1991. It is located at 5°25'N 7°30'E, bounded by Imo, Rivers,

Akwa Ibom and Ebonyi states. The major farming activities of Abia state (God's own state) are the production of arable crops such as maize, cassava, melon, garden egg and poultry farming activities. They also engage in some socio- economic activities such as, trading, carpentry, furniture works, transport service, civil service etc. business and civil service. According to NPC, 2006, Abia state has 17 local government areas and a population of 2,728,098.

Administratively, the State has 17 Local Government Areas found in three distinct agricultural zones. These zones are, Umuhia, Aba and Ohafia. The state falls within the tropical rainforest zone with an average annual rainfall of 2550ml (Kenkwo and Egonu, 2000)

The main occupation of the people is farming and their main cropping systems are mixed and intercropping. Basically, the majority of the farmers are small-scale farmers with an average farm size of about one hectare. Farming practices involve the use of hand tools and other simple implements. The crops widely grown in the area are yam, maize, cassava, Okra, Pepper and vegetables like, fluted pumpkin and garden egg. 80% of them grow garden egg as Main Crop.

Multi-stage sampling technique was used to select a sample of 200 garden egg producer households from a pre-survey sample frame of 420 farmers. This was made possible with the availability of list of garden egg producers from the Village Extension Agents (VEAs). Data were collected with the aid of well structured questionnaire administered to the respondents by the researcher and other trained enumerators.

Data for study were mainly primary data collected from the farmers during the 2013 and 2014 planting season with the use of a structured questionnaire. This was done through cost route approach. Information was collected on input use, output level and socio-economic characteristics. 200 questionnaires were distributed for the trial. Percent recovery was 95%.

During data collection, oral interviews were also conducted with the farmers. Most of the farmers were visited at their farm sites, in their homes and others at selling points. Only those who produce and sell garden-egg were interviewed in the market.

Most of the data collected bothered on the farmers' socio-economic variables, input and output relationships in physical and in value terms, marketing problems, transport problems, pests and diseases among others

Analytical Procedure

Data were analysed using descriptive statistics and the ordinary least square multiple regression techniques. The regression model is stated explicitly in four functional forms as thus;

Linear Function: $NR_t = b_0 + b_1P_{X_1} + b_2P_{X_2} + b_3P_{X_3} + b_4P_{X_4} + b_5T_c + b_6M_c + b_7F_z + e \dots \dots \dots \text{eqn (1)}$

Semi-Log Function: $NR_t = \ln b_0 + b_1 \ln P_{X_1} + b_2 \ln P_{X_2} + b_3 \ln P_{X_3} + b_4 \ln P_{X_4} + b_5 \ln T_c + b_6 \ln M_c + b_7 \ln F_z + e \dots \dots \dots \text{eqn (2)}$

Double -Log Function = $\ln NR_t = \ln b_0 + b_1 \ln X_1 + b_2 \ln X_2 + b_3 \ln X_3 + b_4 \ln X_4 + b_5 \ln T_c + b_6 \ln M_c + b_7 \ln F_z \dots \dots \dots \text{eqn (3)}$

Exponential Function: $\ln NR_t = b_0 + b_1 P_{X_1} + b_2 P_{X_2} + b_3 P_{X_3} + b_4 P_{X_4} + b_5 T_c + b_6 M_c + b_7 F_z + e \dots \dots \dots \text{eqn (4)}$

Where

$NR_t = \pi$ = profit = Net returns given as:

$$\sum P_y Q_y - \sum_{i=1}^n P_i X_i - \sum_{k=1}^n P_k C_k \dots \dots \dots \text{eqn (5)}$$

π = Profit / Net returns

Q = Quantity of Garden egg output (kg)

P_y = Unit price of garden egg output (naira)

P_i = unit price of ith variable input

X_i = quantity of ith variable input

n = no of input used in production

\sum = summation

P_x = unit price of fixed input

C_k = Quantity of Kth fixed input

X_1 = Land area (Hectares)

X_2 = Quantity of agro-chemical (litres)

X_3 = Quantity of planting material (kg)

X_4 = Quantity of labour (mandays)

P_{X_1} = Land rent (naira)

P_{X_2} = Agro-chemical cost (naira)

P_{X_3} = Cost of planting materials (Naira)

P_{X_4} = Labour cost (Naira)

T_c = Cost of transports (Naira)

M_c = marketing charges (Naira)

F_z = Farm size (Hectares)

e = stochastic error term

Ceteris paribus, it is expected that the coefficients of P_{X_1} , P_{X_2} , P_{X_3} , P_{X_4} , T_c , P_{X_1} , and $M_c < 0$ while the coefficients of $F_z > 0$

RESULTS AND DISCUSSION

Socio-economic characteristics of garden egg farmers in Osisioma Local Government Area, Abia State.

The distribution in table 1 shows that the mean age, educational level, household size, and farm size were 45 years, 12 years, 8 persons, and 0.5 hectare respectively. This implies that farmers in the study area were at their middle ages and within the working class limit. They are expected to be in the

position to effectively and efficiently utilize available resources to them. Their 12 years level of education implies that most of the farmers attended at least primary education. This feature puts them in the position to be able to understand and adopt available innovations that encourage increases in garden egg production. Also the mean household size of 6 persons shows that the farmers have reasonable family sizes that can adequately supply family labour which is more convenient and cheaper. The mean farm size of 0.5 hectares agrees with the previous findings that majority of farmers in Sub-Saharan Africa are smallholders of farm sizes of less than 6 hectares (Olayide, 1980; Ogungbile and Olukosi, 1991; Nwaiwu, 2007). This farm size available to the garden egg producers obviously showed that they only produced at subsistence level and may also have used rudimentary capital for production. The mean annual income from garden egg per hectare was N252,818 and the mean annual expenses was N139,160 given rise to a mean annual net return of N113,658/ha. Although the result indicated a positive return on investment, it also implies that most of the farmers in the study area were leaving below the poverty line of less than one dollar (\$1) per day. This low income level was expected to have affected their level of growth in garden egg production because low income leads to savings, low investment and consequently low output. This scenario therefore perpetuates vicious cycle of poverty in the area.

According to the table also, the cost of land (rent), labour, planting materials, transport, marketing and agro-chemicals in naira per hectare were 31,500, 80,200, 10,420, 5,300, 1,500 and 10,240 respectively. These figures clearly show that labour cost took the highest proportion with 57.6% of the total expenses incurred in garden egg production in the study area while marketing charges took the lowest proportion with 1.1%. According to Olayide and Heady, (1982) labour is the second most important resource in farm production and constitutes a serious limiting input in the production process. Olayide and Heady (1982) and Upton (1997) also posited that labour and entrepreneurship are the most important resources next to land in traditional agriculture because it is in them that the decision making power in any production process resides. Labour with respect to agriculture means the available human effort for use in production. In view of this prevailing high cost of labour in the study area, increases in the output and profitability of garden egg would have been seriously constrained by this factor.

Another serious limiting resource in garden egg production and profit was land rent. The high level of expenses on land rent also implies that land for agriculture was not available and affordable to the resource poor farmers, therefore likely to reduce the marketing margin significantly.

Table 1. Socio economic characteristics of garden egg farmers in the study area

Variables	Frequency	Percentage (%)
Sex		
Male	85	42.5
Female	115	57.5
Age		
Below 21	10	5.0
21 – 40	112	56.0
Above 40	78	39.0
Mean: 45		
Marital status		
Single	28	14.0
Married	152	76.0
Divorced	11	5.5
Widowed	9	4.5
Educational attainment		
No formal education	15	7.5
Primary	35	17.5
Secondary	120	60.0
Tertiary	30	15.0
Mean = 12		
Household size		
1- 5	44	22.0
6 -10	146	73.0
Above 10	10	5.0
Mean: 8		
Plot size cultivated(Ha)		
0.1- 1.0	156	78.0
1.1 – 2.0	40	20.0
Above 2.0	4	2.0
Mean: 0.5		
Labour cost(N)/(ha)/(annum)		
Below 51,000	17	8.5
51,000 – 60,000	62	31.0
Above 61,000	121	60.5
Mean: 80,200 =57.6% of total cash expense		
Cost of planting material(N)/ha/annum		
5,000 - 10,000	126	63.0
11,000 -16,000	74	37.0
Mean :10,420 =7.5% of the total cash expense		
Cost of transportation(N)/(ha)/(annum)		
1,000 - 5,000	83	41.5
6,000 – 10,000	117	58.5
Mean: 5, 300 =3.8% of the total cash expense		
Rent on farmland(N)/(ha)/(annum)		
Below 30,000	57	28.5
Above 30,000	143	71.5
Mean: 31,500 = 22.6% of the total cash expense		
Cost of agro-chemical(N)/(ha)/(annum)		
Below 10,000	152	76.0
Above 10,000	48	24.0
Mean: 10,240 =7.4% of the total cash expense		
Marketing charges(N)/(ha)/(annum)		
below 1,000	101	50.5
Above 1,000	99	49.5
Mean: 1,500 = 1.1% of the total cash expense		
Mean cash expense on garden egg production(N)/(ha)/annum=139,160		
Mean annual income from garden egg production(N)/(ha) =252,818		
Profit/Net Returns(N)/(ha) =113,658		

Table 2. Determinants of net return in the study area

Variables	Linear	Exponential	Double-log	Semi-log
Constant	6.823 (0.549)	1.626214 (3.349)***	-2.316 (-1.149)	-4.937 (-0.101)
Land rent (Px1)	-0.013211 (-2.8925521)	0.01 (5.811)*	-0.9666 (5.162)***	9.779 (2.151)**
Agro-chemical cost (Px2)	-0.332 (-1.228)	-0.010 (-0.960)	-0.598 (-2.648)**	-15.541 (-2.829)***
Cost of planting material(Px3)	3.647805 (3.60214501)**	13340.86 (1.829392)***	0.359045 (1.731536)***	8.65726E05 (1.545165)
Labour cost (Px4)	0.018676 (0.014296)	-697.626 (-0.1059)	0.139278* (0.743535)	3.56752E05 (0.887016)
Transports costs (Tc)	-0.61476 (-0.37231)	4063.548 (1.55707)	0.123532 (1.128698)	-1.3615865 (0.026783)
Marketing charges (Mc)	13.3885 (0.88653)	14960.35 (1.003325)	0.765854 (1.806366)*	0.000805034 (1.731422)*
Farm size (Fz)	66551.02 (9.050516)*	32105.66 (8.418199)*	-1.845669 (7.798268)*	1.640482167 (7.246312)*
R ²	0.815	0.892	0.905	0.802
Adj. R ²	0.801	0.918	0.902	0.787
F-statistic	59.320***	162.302***	134.796***	54.550***
DW-statistic	2.608	2.260	2.618	2.654

Source: Field Survey Data, 2015

(*) = 1% significant level, (**) = 5% significant level, (***) = 10% significant level

Factors affecting net return on garden egg production in the study area

Table 2 shows that out of the four functional forms tried, Double log production form was chosen as the lead equation for the analysis based on conformity with *a priori* expectation of signs, magnitude of coefficients, overall significance of the functional form (F-statistics) as well as the explanatory power of the variables (adjusted R²) included in the model. The F-value is statistically significant at 1% level which implies that the independent variables (X_i) included in the model best explained the dependent variable (Y), Net return on garden egg production.

It is seen that the R² is 0.905 and this implies that the regression model gives a good fit and also that 90.5% of the total variations in net return (NRt) was explained by the independent variables (X_i) included in the model while the remaining 9.5% was due to error of estimation and other factors outside the scope of this study and therefore, this model has a sound explanatory power and can be used for forecasting purposes.

The results also show that factors such as cost of land rent, and agrochemicals are the major factors that affect the net returns of garden egg farmers because they have shown a statistically significant effect at 1% and 5% levels respectively as they are negatively related to net returns from garden egg. The result shows that 1% increase in the cost land rent, agro-chemicals, and

farm size (hectare) leads to 0.97% and 0.6% decrease in net return on garden egg production. This is in line with the *a priori* theoretical expectation that the higher the cost of agro-chemical and land, the lower the net returns from garden egg. This supposition is based on the fact that land is an indispensable resource in garden egg production just like other crops and also a fixed factor which its price increases with population that is always on the increase in Nigeria.

Similarly, agrochemicals especially pesticides are crucial to the production, storability and market value of garden egg fruits, hence any increase in its cost will definitely reduce the net returns from garden egg. Furthermore, the coefficients of Px₃, Px₄, T_{ic}, and M_c are positive showing that the higher the cost of these factors, the higher the net returns from garden egg. This is against the *a priori* theoretical expectation that the higher their costs the lower the net returns. This result could be attributed to the fact that farmers may be increasing the price of garden egg more than proportionately to increases in the cost of these factors (Nwaiwu *et al.*, 2012). Besides, this act may have been made possible because of the socio cultural, socio-economic and nutritional relevance of the crop that makes the demand fairly inelastic.

More so, the coefficient of F_z is also positive and in line with the *a priori* expectation that the higher the farm size the higher the net returns from garden egg production. This assertion is supported by the fact that

increases in farm size will enable the farmers to enjoy the benefits of economy of large scale production and bulk purchases ((Nwaiwu *et al.*, 2012). This will make it possible to produce and market at least cost per unit of output.

CONCLUSION

This result confirms that the net returns from garden egg can be improved if agro-chemicals like pesticides are made available to farmers in adequate quantities and at affordable prices. Furthermore, availability of adequate farm land and at an affordable rent will ensure higher net returns from garden egg production. It was therefore recommended that government and indeed private investors should gear their effort towards producing agro-chemicals especially pesticides that will facilitate effective and efficient garden egg production. This could be made possible and cheaper by encouraging local production and discouraging importation where possible to reduce the higher prices due to fluctuating currency exchange rates.

Finally, land use act in Nigeria should be amended to favour genuine farmers so that they can be accessing adequate land for agriculture at reasonable prices without undue competition with land users for other purposes like building of residential houses and factories.

REFERENCES

- Abia State Ministry of Agriculture and Natural Resources (ASMANR) (1986). Umuahia, Abia State.
- Amaechi ECC, JA Mbanasor, OO Uko (2006). "Determinants of Profitability of the Smallholder Palm Oil Mill Enterprise in Imo State Nigeria. In GN, Asumugha AO Olojede JC Ikorodu. A.O Ano, U Herbert (eds). Repositioning Agriculture for Sustainable Millennium Development Goals in Nigeria.
- Danguah-Jones A (2000). Variation and Correlation Among Agronomic Traits In garden egg (*solanum gilo radii*) Department of Crop Science, University of Ghana, Accra, Legon :30
- Denton OA, Olufolaji AO (2000). "Nigeria's Most Important Vegetable Crops In Agronomy in Nigeria-Re-union Day.M.O Okorda (eds) University of Ibadan Pp 85-93
- Food and Agricultural Organisation F.A.O (1970). Maketing of Fruits and Vegetables in Africa countries: Rome F.A.O.
- Grubben GJH, Denton OA (2004). Plant Resources of Tropical Africa 118 Vegetables. Leider Wagermngen, Backhuys publishers
- Njoku JE (1986). The Economics of Whole Sale Marketing of Vegetables in Southern Nigeria. The case of Onions. Tropical Agriculture(Trinidad) 11:139-143,S Rana.
- Nwaru JC (2012). Determinants of Net Returns from Garden Egg production in Imo State – International Journal of Agric and Rural Development
- Obeng-Ofori D, Danguer EY, Ofusu-Anim J (2007). Vegetable and crop production in west Africa, the city publishers limited, Ghana pp 77-79
- Ogungbile AO, JO Olukosi (1991). "An Overview of the Problems of the Resource for farmers in Nigeria Agriculture" In Olukosi et al (eds) Appropriate Agricultural Technologies for Resource poor Farmers. Natural farm systems Network 1991. Pp21-34
- Olayide SO (1980). "Characteristics and Significance of Small farmers inn Nigeria, Problems andProspects" In Integrated Rural Development CARD, University of Ibadan
- Olayide SO, Heady EO (1982). Introduction to Agricultural Production. Economics Ibadan University Press.